


**FITTINGS – TWO-PIECE
WATERBLAST**
[INTERNAL - EXTERNAL SKIVE]


FITTINGS – TWO-PIECE - WATERBLAST [INTERNAL - EXTERNAL SKIVE]

Section W, Page: 2 2 2




00S4

4 Spiral
WaterBlast



00S5

4 Spiral
WaterBlast



00S6


6 Spiral
WaterBlast

Section W, Page: 3 3



0050W

BSP Female 60° Cone Thrust Wire



0350W

BSP Male Parallel 60° Cone

Section W, Page 4 5 4 5




0370W

NPTF Male 60° Cone




0370Y

NPTF Male 60° Cone



0084W


Metric Female 24° Seat Heavy



0084Y


Metric Female 24° Seat Heavy

00S4 Ferrule (Skive)




Part Number	Hose I.D.		Dimensions		Skive Length		Hose Type
	in	mm	D	L	Ext	Int	
00S4-06	3/8	9.5	28.0	45.5	34	15	WB850 -1000-1100
00S4-08	1/2	12.7	33.0	50.3	36	13	WB850 -1000-1100
00S4-12	3/4	19	41.0	56.0	42	15	WB850
00S4-16	1	25.4	51.0	67.2	52	18	WB700

00S5 Ferrule (Skive)



Part Number	Hose I.D.		Dimensions		Skive Length		Hose Type
	in	mm	D	L	Ext	Int	
00S5-06	3/8	9.5	32.5	58.5	50	21	WB1200-1250
00S5-08	1/2	12.7	36.5	62.0	52	23	WB1200-1250
00S5-12	3/4	19	43.8	69.0	59	25	WB1000-1100


00S6 Ferrule (Skive)



Part Number	Hose I.D.		Dimensions		Skive Length		Hose Type
	in	m	D	L	Ext	Int	
00S6-06	3/8	9.5	35.5	58.5	50	21	WB1350-1450
00S6-08	1/2	12.7	39.8	62.0	52	23	WB1350-1450
00S6-12	3/4	19	47.0	69.0	59	25	WB1350-1450

0050W **BSP Female 60° Cone Double Thrust Wire Nut**


(DKR)



Part Number	Hose I.D.		Dimensions			
			Dash Size	Thread	Hex	Cut-Off
	in	mm		T	E	C
0050W08-08	1/2	12.7	08	1/2-14	30	36
0050W12-12	3/4	19	12	3/4-14	32	36
0050W16-16	1	25.4	16	1-11	38	36

0350W **BSP Male Parallel 60° Cone**


(AGR)



Part Number	Hose I.D.		Dimensions			
			Dash Size	Thread	Hex	Cut-Off
	in	mm		T	E	C
0350W08-08	1/2	12.7	08	1/2-14	27	36
0350W12-12	3/4	19	12	3/4-14	32	36
0350W16-16	1	25.4	16	1-11	41	44

0370W NPTF Male 60° Cone


(AGN)



Part Number	Hose I.D.		Dimensions			
			Dash Size	Thread	Hex	Cut-Off
	in	mm		T	E	C
0370W06-06	3/8	9.5	06	3/8 -18	19	29
0370W08-08	1/2	12.7	08	1/2 -14	22	29
0370W12-12	3/4	19	12	3/4 -14	27	29
0370W16-16	1	25.4	16	1-11.1/2	48	44

0084W Metric Female 24° Seat Heavy


(DKOS)



Part Number	Hose I.D.		Dimensions				
			Dash Size	Thread	Tube	Hex	Cut-Off
	in	mm		T	E	C	
0084W06-20	3/8	9.5	06	M20-1.5	12	24	29
0084W06-22	3/8	9.5	06	M22-1.5	14	27	29
0084W06-24	3/8	9.5	08	M24-1.5	16	30	33
0084W08-24	1/2	12.7	08	M24-1.5	16	30	29
0084W12-36	3/4	19	12	M36-2	25	46	43

0370Y NPTF Male 60° Cone


(AGN)



Part Number	Hose I.D.		Dimensions			
			Dash Size	Thread T	Hex E	Cut-Off C
	in	mm				
0370Y06-06	3/8	9.5	06	3/8 -18	19	29
0370Y08-08	1/2	12.7	08	1/2 -14	22	35
0370Y12-12	3/4	19	12	3/4 -14	27	37

0084Y Metric Female 24° Seat Heavy

(DKOS)



Part Number	Hose I.D.		Dimensions				
			Dash Size	Thread T	Tube	Hex E	Cut-Off C
	in	mm					
0084Y06-22	3/8	9.5	06	M22-1.5	14	32	39
0084Y08-24	1/2	12.7	08	M24-1.5	16	34	39
0084Y12-36	3/4	19	12	M36-2	25	46	45